VEP366P IP Phone Datasheet

Overview

The Maipu VEP366P is a multifunctional HD IP voice phone designed specifically for high-end business professionals. It features an elegant appearance and excellent performance, making it suitable for various IP voice phone systems. The C66 series boasts a 4.3-inch backlit color LCD display with a maximum resolution of 480x272, providing users with a superior visual experience along with excellent HD voice quality and a rich set of telephony call functions to meet diverse user needs.

The Maipu VEP366P SIP phone is equipped with dual gigabit Ethernet ports, offering easy installation, simple configuration, and user-friendliness. It supports 20 SIP accounts and six-way conferencing, delivering a wide range of call functions through seamless integration with IPPBX systems.



Features

- Twenty SIP Accounts
- HD Voice Quality
- 4.3" Color Display
- Dual Gigabit Ethernet Ports
- Supports External EHS Wireless Headsets (Plantronics, Jabra, Sennheiser)

Technical Specifications

Product Model			VEP366P					
Hardware specification								
Screen			4.3″ 480×272 Pixel Graphical Backlight LCD screen					
Handset Port		4P4C, RJ9						
Headset Port		4P4C, RJ9						
USB Port		1*USB 2.0						
Extension Board Port		6P6C, RJ12						
Network Port		2*10/100/1000M RJ45						
Installation		Wall mountable						
Dimension(W*D*H)mm		Without foot stand: 238*223*42 With foot stand: 238*223*168						
Weight		Device: 700g						
		Foot stand: 60g						
Input Voltage		DC 5V1A PoE: IEEE 802.3af						
Temperature		0°C to 40°C						
Humidity		10% ~ 95%, non-condensing						
Software Specif	Software Specification							
-	Acco		20 SIP accounts					
			Call Waiting					
			Call Transfer					
			Busy Transfer/Consultative Transfer					
	Call	Management	Call Hold, Mute, Do Not Disturb					
		J	Speed Dial, Hotline					
			Redial, Callback					
Phone Functions			Auto Redial, Auto Answer					
			IP Address Call					
			Dial Plan					
	Con	figuration	Six-way Conferencing					
			Volume Adjustment					
			Configurable Ringing Mode					
			XML Browser					
	Othe	er Features	Action URL/URI					
			Keypad Lock					
			Phonebook: 1000 entries					
	Phoi	ebook	Blacklist: 100 entries					
			Call Logs: 100 entries					

		Supports up to 5 Remote Phonebook URLs
	Directory Services	LDAP
	Language	Supports Multiple Languages
		Peer-to-Peer Call
	Composition	USB 2.0 Interface: Bluetooth Headset, WIFI functionality
	Connection	USB Recording
		Supports external EHS wireless headsets (Plantronics, Jabra, Sennheiser)
IPPBX Features	Message	Short Message, Voicemail, MWI (Message Waiting Indicator)
	0 11 11 11:	Call Hold Music, Intercom
	Call Handling	Call Pickup, Group Call Pickup
	Privacy	Anonymous Call, Anonymous Call Rejection
	HD Voice	HD Voice
		Wideband Audio Codecs: G.722, OPUS-WB
	Audio Codecs	Narrowband Audio Codecs: PCMA, PCMU, G.729, G723, G726, AMR, OPUS, iLBC
Voice Media		Echo Cancellation/Dynamic Jitter Buffer
		Voice Activity Detection (VAD)
	Audio Processing	Comfort Noise Generation (CNG)
		Full-Duplex Hands-Free
		SIP V1 (RFC2543), V2 (RFC3261)
	SIP	SIP TLS, SRTP Encryption
		TCP/IP/UDP
		RTP/RTCP, RFC2198, RFC1889
	Protocols	ARP/RARP/ICMP/NTP/DHCP
_		DNS SRV/A Query/NATPR Query
Network Features		STUN, Session Timers (RFC4028)
	Security	DTMF Modes: In-Band, RFC2833, SIP INFO
		LLDP
	Network Services	TFTP/FTP/HTTP/HTTPS Protocols
		802.1X
	VPN	Open VPN
	Provisioning	Auto Provision/Upgrade: FTP/TFTP/HTTP/HTTPS/PnP
	, <u>9</u>	HTTP/HTTPS Web Configuration
	Configuration	Configuration via Phone Keypad
Management and Maintenance		SNMP
	Monitoring	TR069
		Network Packet Capture
		NTP Time Synchronization
	Time Management	Daylight Saving Time
	Upgrade	Software Upgrade via Web
	1,5	r y /

Logs	Syslog
Backup/Restore	Configuration Backup/Restore

Order Information

Model	Description
VEP366P Series	
VEP366P	VEP366P IP Phone, 2*100/1000M Ethernet Ports, POE enable, 1*USB2.0, 16 SIP lines, 4.3" color screen

All rights reserved. Printed in the People's Republic of China.

No part of this document may be reproduced, transmitted, transcribed, stored in a retrieval system, or translated into any language or computer language, in any form or by any means, electronic, mechanical, magnetic, optical, chemical, manual or otherwise without the prior written consent of Maipu Communication Technology Co., Ltd.

Maipu makes no representations or warranties with respect to this document contents and specifically disclaims any implied warranties of merchantability or fitness for any specific purpose. Further, Maipu reserves the right to revise this document and to make changes from time to time in its content without being obligated to notify any person of such revisions or changes.

Maipu values and appreciates comments you may have concerning our products or this document. Please address comments to:

Maipu Communication Technology Co., Ltd Maipu Mansion, No.16, Jiuxing Avenue Hi-Tech Zone Chengdu, Sichuan Province P. R. China 610041

Tel: (86) 28-65544850, **Fax:** (86) 28-65544948, **URL:** http:// www.maipu.com **Email:** overseas@maipu.com

All other products or services mentioned herein may be registered trademarks, trademarks, or service marks of their respective manufacturers, companies, or organizations.